


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended): A composition for performing a polynucleotide replication reaction, which comprises a buffer, one or more template polynucleotides, nucleotide triphosphates, one or more polymerase enzymes or fragments thereof, and one or more reaction adjuvants comprising compounds of the formula:




Formula I

wherein:

R₁ is C or S; and

when R₁ is C, X is =O, R₃ is N and R₆ is absent;

when R₁ is S, X is =O or 

and R₃ is C;

R₂ is H or CH₃ only when one or more of R₄, R₅ and R₆ is not H, and otherwise R₂ is an unsubstituted or halogen-, hydroxyl- or alkoxy- substituted alkyl or cycloalkyl of length m, wherein m is selected such that the total number of carbons in the compound is between 3 and 8 when R₁ is C and between 2 and 8 when R₁ is S; wherein any two of R₂,

R₃, R₄, R₅ and R₆ ~~optionally~~ can form a cyclic structure in which cyclization is effected through a bond between them; and

R₄, R₅ and R₆ each is H, alkyl, cycloalkyl, halogen-, hydroxyl or alkoxy- substituted alkyl or cycloalkyl of length n, wherein n is selected such that the total number of carbons in the compound is between 3 and 8 when R₁ is C and between 2 and 8 when R₁ is S.


2. (previously presented): The composition of claim 1, wherein the reaction adjuvant comprises a cyclic compound, wherein the cyclization is effected through a bond between any two of R₂, R₃, R₄, R₅ and R₆.

3. (previously presented): The composition of claim 2, wherein the cyclic portion of the compound comprises five, six, or seven members.

4 (cancelled): Please cancel claim 4.

5. (previously presented): The composition of claim 3, wherein R₁ is S and remainder of the compound is unsubstituted.

6-14 (cancelled): Please cancel claims 6 through 14.

15. (previously presented): The composition of claim 1, wherein the reaction adjuvant comprises a compound in which R₁ is S, X is =O or  and R₃ is C.

16. (previously presented): The composition of claim 15, wherein the compound is cyclic.

17. (previously presented): The composition of claim 16, wherein the cyclic structure of the compound is a five, six, or seven-membered ring formed by a bond between R₂ and either R₄, R₅ or R₆.

18. (previously presented): The composition of claim 17, wherein the ring is unsubstituted except in R₁.

19. (previously presented): The composition of claim 18, wherein the compound is selected from the group consisting of tetramethylene sulfone and tetramethylene sulfoxide.

20. (previously presented): The composition of claim 15, wherein the compound is acyclic.
21. (previously presented): The composition of claim 20, comprising a compound in which R_2 or R_3 is lower alkyl or substituted lower alkyl.
22. (previously presented): The composition of claim 11, wherein the compound is selected from group consisting of methyl sulfone, ethyl sulfone, n-propyl sulfone, n-propyl sulfoxide and methyl sec-butyl sulfoxide.
23. (previously presented): The composition of claim 1, wherein the polynucleotide reaction is an amplification reaction.
24. (previously presented): The composition of claim 23, wherein the amplification reaction is selected from the group consisting of polymerase chain reaction, nucleic acid sequence-based amplification, transcription-based amplification system, self-sustained sequence replication, ligation amplification reaction, Q beta replicase amplification and ligase chain reaction.
25. (previously presented): The composition of claim 1, wherein the one or more polymerases or fragments thereof is selected from the group consisting of Taq polymerase, Tth polymerase, Tme polymerase, Tli polymerase, Pfu Polymerase, DNA polymerase I, Klenow fragment and reverse transcriptase.
26. (previously presented): The composition of claim 15, wherein the reaction adjuvant has a potency of at least 75% of the potency of DMSO or formamide in an equivalent polynucleotide chain reaction (PCR).
27. (previously presented): The composition of claim 1, wherein the reaction adjuvant has a specificity of at least 80% of the specificity of DMSO or formamide in an equivalent polynucleotide chain reaction (PCR).
28. (previously presented): The composition of claim 1, wherein the reaction adjuvant has an effective range spanning at least 0.1 M.


29. (previously presented): The composition of claim 1, wherein the polynucleotide template comprises greater than 50% G+C.

30. (previously presented): The composition of claim 1, wherein the one or more polymerase enzymes or fragments thereof is selected from the group consisting of Taq polymerase, Tth polymerase, Tme polymerase, Tli polymerase, Pfu polymerase, DNA polymerase I, Klenow fragment and reverse transcriptase.

31-59 (cancelled)

60. (currently amended): A kit for performing a polynucleotide reaction, comprising a container that includes:

a) one or more compounds of the formula:



Formula I

wherein:

R₁ is C or S; and

when R₁ is C, X is =O, R₃ is N and R₆ is absent;

when R₁ is S, X is =O or $\text{O}=\text{C}=\text{O}$

and R₃ is C;

R₂ is H or CH₃ only when one or more of R₄, R₅ and R₆ is not H, and otherwise ~~R₂-R₂~~ is an unsubstituted or halogen-, hydroxyl- or alkoxy- substituted alkyl or cycloalkyl of length m, wherein m is selected such that the total number of carbons in the compound is between 3 and 8 when R₁ is C and between 2 and 8 when R₁ is S; wherein any two of R₂, R₃, R₄, R₅ and R₆ ~~optionally~~ can form a cyclic structure in which cyclization is effected through a bond between them; and

R₄, R₅ and R₆ each is H, alkyl, cycloalkyl, halogen-, hydroxyl or alkoxy- substituted alkyl or cycloalkyl of length n, wherein n is selected such that the total number of carbons in the compound is between 3 and 8 when R₁ is C and between 2 and 8 when R₁ is S; and

b) instructions for using the one or more compounds in a polynucleotide replication reaction.

61. (currently amended): The kit of claim 60, which further comprises one or more of:

- a) a polynucleotide replication reaction buffer;
- b) nucleotide triphosphates;
- c) oligonucleotide primers;
- d) a known template polynucleotide for use as a control; and
- e) one or more polymerase enzymes.

62. (previously presented): The kit of claim 61, customized for performing amplification reactions.

63. (previously presented): The kit of claim 62, customized for performing PCR

64-66 (cancelled)

67. (previously presented): A kit for performing the method of claim 64, which comprises a container in which is included:

- a) the plurality of reaction adjuvants; and
- b) instructions for using the reaction adjuvants to optimize polynucleotide replication of a selected template polynucleotide.

68. (currently amended): The kit of claim 67, which further comprises one or more of:

- a) a polynucleotide replication reaction buffer;
- b) nucleotide triphosphates;
- c) oligonucleotide primers;

d) a known template polynucleotide for use as a control;

e) one or more polymerase enzymes; and

f) one or more reaction vessels for performing the plurality of polynucleotide replication reactions.

69. (previously presented): The kit of claim 68, customized for performing amplification reactions.

70. (previously presented): The kit of claim 69, customized for performing PCR.